

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the Application.

Please cancel claims 7, 8, 22 and 23, without prejudice.

1. (Original) A method for maintaining code routing information for a routing guide and for the switches in a telecommunication network, the method comprising:
 - retrieving code routing information from a routing guide;
 - retrieving code routing information from switches in the telecommunication network corresponding to the code routing information received from the routing guide; and
 - identifying discrepancies between the code routing information received from the routing guide and the code routing information retrieved from switches in the telecommunication network.
2. (Original) The method for maintaining code routing information of claim 1, further comprising:
 - correcting routing errors in the routing guide; and
 - correcting routing errors in switches in the telecommunication network.
3. (Original) The method for maintaining code routing information of claim 2, wherein the routing guide comprises a routing database containing LERG routing data.
4. (Original) The method for maintaining code routing information of claim 2, wherein retrieving code routing information from switches in the telecommunication network corresponding to the code routing information received from the routing guide comprises:
 - iteratively accessing switches and retrieving routing information from each switch for each area code in the routing guide until all switches in each area code in the routing guide has been accessed.
5. (Currently amended) A method for maintaining code routing information for a routing guide and for the switches in a telecommunication network, the method comprising:
 - retrieving routing information for an NPA code from the routing guide;
 - connecting to a switch for the NPA code;

accessing a rate center on the switch for the NPA code;
accessing an NXX code for the rate center on the switch for the NPA code;
querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code;
saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code;
iteratively repeating:
 accessing an additional NXX code for the rate center on the switch for the NPA code;
 querying the switch for routing information for the additional NXX code for the rate center on the switch for the NPA code; and
 saving routing information responsive to the query for the additional NXX code for the rate center on the switch for the NPA code;
until routing information for all NXX codes for the rate center on the switch for the NPA code has been saved.

6. (Currently amended) The method for maintaining code routing information of claim 5, further comprising:

iteratively repeating:
 accessing a rate center on the switch for the NPA code;
 accessing ~~an~~ a different NXX code for the rate center on the switch for the NPA code;
 querying the switch for routing information for the different NXX code for the rate center on the switch for the NPA code;
 saving routing information responsive to the query for the different NXX code for the rate center on the switch for the NPA code; and
iteratively repeating:
 accessing ~~an~~ a further NXX code for the rate center on the switch for the NPA code;

querying the switch for routing information for the further NXX code for the rate center on the switch for the NPA code; and
saving routing information responsive to the query for the further NXX code for the rate center on the switch for the NPA code;
until routing information for all NXX codes for the rate center on the switch for the NPA code has been saved;
until routing information for all rate centers on the switch for the NPA code has been saved.

7. (Canceled) The method for maintaining code routing information of claim 6, further comprising:

iteratively repeating:

connecting to a switch for the NPA code;
accessing a rate center on the switch for the NPA code;
accessing an NXX code for the rate center on the switch for the NPA code;
querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code;
saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code; and

iteratively repeating:

accessing a rate center on the switch for the NPA code;
accessing an NXX code for the rate center on the switch for the NPA code;
querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code; and
saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code; and

iteratively repeating:

accessing an NXX code for the rate center on the switch for the NPA code;
querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code; and

saving routing information responsive to the query for the NXX code for the
rate center on the switch for the NPA code;
until routing information for all NXX codes for the rate center on the switch
for the NPA code has been saved;
until routing information for all rate centers on the switch for the NPA code has
been saved;
until routing information for all switches for the NPA code has been saved.

8. (Canceled) The method for maintaining code routing information of claim 7, further comprising:

iteratively repeating:

retrieving routing information for an NPA code from the routing guide;
connecting to a switch for the NPA code;
accessing a rate center on the switch for the NPA code;
accessing an NXX code for the rate center on the switch for the NPA code;
querying the switch for routing information for the NXX code for the rate center on
the switch for the NPA code;
saving routing information responsive to the query for the NXX code for the rate
center on the switch for the NPA code; and

iteratively repeating:

connecting to a switch for the NPA code;
accessing a rate center on the switch for the NPA code;
accessing an NXX code for the rate center on the switch for the NPA code;
querying the switch for routing information for the NXX code for the rate center
on the switch for the NPA code;
saving routing information responsive to the query for the NXX code for the
rate center on the switch for the NPA code; and

iteratively repeating:

accessing a rate center on the switch for the NPA code;
accessing an NXX code for the rate center on the switch for the NPA code;

querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code;
saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code; and
iteratively repeating:
 accessing an NXX code for the rate center on the switch for the NPA code;
 querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code; and
 saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code;
until routing information for all NXX codes for the rate center on the switch for the NPA code has been saved;
until routing information for all rate centers on the switch for the NPA code has been saved;
until routing information for all switches for the NPA code has been saved;
until routing information for all switches for the NPA code has been saved.

9. (Currently amended) The method for maintaining code routing information of claim 6⁷, further comprising:
 - comparing the routing information from the routing guide to the routing information saved from the switches; and
 - identifying discrepancies in the routing information from the routing guide and the routing information saved from the switches.
10. (Original) The method for maintaining code routing information of claim 9, further comprising:
 - correcting identified discrepancies in the routing guide.
11. (Original) The method for maintaining code routing information of claim 9, further comprising:
 - correcting identified discrepancies in the routing of the switches.

12. (Original) The method for maintaining code routing information of claim 9, further comprising:
 - determining which identified discrepancies are errors in the routing guide and which identified discrepancies are errors in the routing of the switches;
 - correcting errors in the routing guide; and
 - correcting errors in the routing of the switches.
13. (Currently amended) The method for maintaining code routing information of claim 68, further comprising:
 - comparing the routing information from the routing guide to the routing information saved from the switches; and
 - identifying discrepancies in the routing information from the routing guide and the routing information saved from the switches.
14. (Original) The method for maintaining code routing information of claim 13, further comprising:
 - correcting identified discrepancies in the routing guide.
15. (Original) The method for maintaining code routing information of claim 13, further comprising:
 - correcting identified discrepancies in the routing of the switches.
16. (Original) The method for maintaining code routing information of claim 13, further comprising:
 - determining which identified discrepancies are errors in the routing guide and which identified discrepancies are errors in the routing of the switches;
 - correcting errors in the routing guide; and
 - correcting errors in the routing of the switches.
17. (Original) At least one machine-readable media containing machine-readable code embodied thereon for causing a system to perform a method for maintaining code routing information for a routing guide and for switches in a telecommunication network, the method comprising:

retrieving code routing information from a routing guide;
retrieving code routing information from switches in the telecommunication network
corresponding to the code routing information received from the routing guide; and
identifying discrepancies between the code routing information received from the
routing guide and the code routing information retrieved from switches in the
telecommunication network.

18. (Original) The at least one machine-readable media of claim 17, the method further comprising:
 - correcting routing errors in the routing guide; and
 - correcting routing errors in switches in the telecommunication network.
19. (Original) The at least one machine-readable media of claim 18, wherein the step of the method of retrieving code routing information from switches in the telecommunication network corresponding to the code routing information received from the routing guide comprises:
 - iteratively accessing switches and retrieving routing information from each switch for each area code in the routing guide until all switches in each area code in the routing guide has been accessed.
20. (Currently amended) At least one machine-readable media containing machine-readable code embodied thereon for maintaining code routing information for a routing guide and for switches in a telecommunication network, the method comprising:
 - retrieving routing information for an NPA code from the routing guide;
 - connecting to a switch for the NPA code;
 - accessing a rate center on the switch for the NPA code;
 - accessing an NXX code for the rate center on the switch for the NPA code;
 - querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code;
 - saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code;
 - iteratively repeating:

accessing an additional NXX code for the rate center on the switch for the NPA code;
querying the switch for routing information for the additional NXX code for the rate center on the switch for the NPA code; and
saving routing information responsive to the query for the additional NXX code for the rate center on the switch for the NPA code;
until routing information for all NXX codes for the rate center on the switch for the NPA code has been saved.

21. (Currently amended) The at least one machine-readable media of claim 20, the method further comprising:

iteratively repeating:

accessing a rate center on the switch for the NPA code;

accessing ~~an~~ a different NXX code for the rate center on the switch for the NPA code;

querying the switch for routing information for the different NXX code for the rate center on the switch for the NPA code;

saving routing information responsive to the query for the different NXX code for the rate center on the switch for the NPA code; and

iteratively repeating:

accessing ~~an~~ a further NXX code for the rate center on the switch for the NPA code;

querying the switch for routing information for the further NXX code for the rate center on the switch for the NPA code; and

saving routing information responsive to the query for the further NXX code for the rate center on the switch for the NPA code;

until routing information for all NXX codes for the rate center on the switch for the NPA code has been saved;

until routing information for all rate centers on the switch for the NPA code has been saved.

22. (Canceled) The at least one machine-readable media of claim 21, the method further comprising:

iteratively repeating:
connecting to a switch for the NPA code;
accessing a rate center on the switch for the NPA code;
accessing an NXX code for the rate center on the switch for the NPA code;
querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code;
saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code; and
iteratively repeating:
accessing a rate center on the switch for the NPA code;
accessing an NXX code for the rate center on the switch for the NPA code;
querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code; and
saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code; and
iteratively repeating:
accessing an NXX code for the rate center on the switch for the NPA code;
querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code; and
saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code;
until routing information for all NXX codes for the rate center on the switch for the NPA code has been saved;
until routing information for all rate centers on the switch for the NPA code has been saved;
until routing information for all switches for the NPA code has been saved.

23. (Canceled) The at least one machine-readable media of claim 22, the method further comprising:
iteratively repeating:

retrieving routing information for an NPA code from the routing guide;
connecting to a switch for the NPA code;
accessing a rate center on the switch for the NPA code;
accessing an NXX code for the rate center on the switch for the NPA code;
querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code;
saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code; and
iteratively repeating:
 connecting to a switch for the NPA code;
 accessing a rate center on the switch for the NPA code;
 accessing an NXX code for the rate center on the switch for the NPA code;
 querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code;
 saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code; and
 iteratively repeating:
 accessing a rate center on the switch for the NPA code;
 accessing an NXX code for the rate center on the switch for the NPA code;
 querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code;
 saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code; and
 iteratively repeating:
 accessing an NXX code for the rate center on the switch for the NPA code;
 querying the switch for routing information for the NXX code for the rate center on the switch for the NPA code; and
 saving routing information responsive to the query for the NXX code for the rate center on the switch for the NPA code;

until routing information for all NXX codes for the rate center on the switch
for the NPA code has been saved;

until routing information for all rate centers on the switch for the NPA code has
been saved;

until routing information for all switches for the NPA code has been saved;

until routing information for all switches for the NPA code has been saved.

24. (Currently amended) The at least one machine-readable media of claim ~~23~~20, the method further comprising:

comparing the routing information from the routing guide to the routing information
saved from the switches; and

identifying discrepancies in the routing information from the routing guide and the
routing information saved from the switches.

25. (Original) The at least one machine-readable media of claim 24, the method further comprising:

correcting identified discrepancies in the routing guide.

26. (Original) The at least one machine-readable media of claim 24, the method further comprising:

correcting identified discrepancies in the routing of the switches.

27. (Original) The at least one machine-readable media of claim 24, the method further comprising:

determining which identified discrepancies are errors in the routing guide and which
identified discrepancies are errors in the routing of the switches;

correcting errors in the routing guide; and

correcting errors in the routing of the switches.